

# <u>Important notes about Classic Panel Mount Indicator Catalog Pages</u>

## SCROLL DOWN TO VIEW CATALOG PAGE

This catalog page is out-of-print and is used with the understanding that the information shown could be out-of-date. In many cases, part numbers shown on this page are discontinued. Most notably, many "Complete Assembly" parts, which consist of a cap and a base, can no longer be ordered by the 14-digit ordering code. To obtain these parts, please order the cap and base part numbers separately. This process provides the components contained with the original "Complete Assembly" part number.

All Dialight Classic Panel Mount Indicators need a leading 3-digit numerical series. In some cases, this catalog will show a 2-digit series. In this case, please add a leading zero. For example, 81-0211-300 becomes **0**81-0211-300.

Part numbers listed on Dialight catalog pages designate parts with Red lenses. For ordering lens colors other than red, consult the chart below. In most cases, the color is dictated by the 7<sup>th</sup> digit. For example, 095-093**2**-003 for a green cap.

Lens Colors	
1 - Red 2 - Green	5 - White 6 - Light Yellow
3 - Yellow	7 - Clear
4 - Blue	

Click here for a cross reference guide to assembly part numbers.

Click here to view Frequently Asked Questions concerning Panel Mount Indicators.

SCROLL DOWN TO VIEW CATALOG PAGE


# Large Incandescent Indicators

WITH MECHANICAL DIMMER CAP FOR MOUNTING IN 1" CLEARANCE HOLE FOR 6 TO 250V OPERATION

These series indicator lights meet or exceed requirements of MIL-L-3661.

#### **MATERIALS AND FINISHES**


- Mounting Bushing and Lens Holder: Brass, black nickel finish.
- Knurled Flange Ring: Brass, black nickel finish
- Mounting Nut: Brass, white nickel finish.
- Internal-tooth Lockwasher: Phosphor bronze, white nickel finish.
- Terminals: Solder brass, hot tinned with elongated slot. Screw-brass, white nickel finish.



screw terminal

(side pos.)

### **MECHANICAL DIMMER** WITH SCREW-ON LENS CAP



Order complete with lamp to be assured of receiving the indicator light and correct lamp together for immediate use.



CANDELABRA SCREW BASE

ee lamp ratings on page K.

Recognized under the component program of Underwriters

75W., 125V.



MECHANICAL DIMMER CAPS provide adjustable intensity of light emission.





PARTLY CLOSED



SEMI-BLACKOUT COMPLETE BLACKOUT

210 SERIES 209 SERIES

BASE PART NUMBERS



#### **CONVEX** Mechanical Dimmer

210-0111-200 back frosted, semi-blackout

209-0111-200 back frosted, complete blackout

screw terminal

(protruding pos.)

WATER-TIGHT CONSTRUCTION: The assemblies on this page may be made water-tight on the face of the panel. To specify, change the last digit in the part number suffix to 3. Example: 209-3101-0111-203.

solder terminal