RELEASED FOR PUBLICATION REVISIONS C COPYRIGHT 20 DESCRIPTION )| ECR-10-006880 120CT2012 KG DW I. ASSEMBLY SHOWN FOR REFERENCE ONLY. SHIPPED LOOSE PIECE AS SHOWN ON PAGE 2. 2. ALL ASSEMBLY DIMENSIONS ARE FOR REFERENCE ONLY. PANEL SHOULD BE BETWEEN 3.2mm AND 6.4mm THICKENSS. 4. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING. 5. COMPLETE THE CONNECTOR ASSEMBLY BY ADDING EACH OF THE FOLLOWING PRO BEAM JR KITS: A. EXPANDED BEAM INSERT ASSEMBLY KIT B. FERRULE KIT, ONE PER FIBER Ø1.195±.005 IN.—  $\emptyset$  27  $\emptyset$  37  $\emptyset$  24 RECOMMENDED TFOCA-II® PANEL CUT-OUT (DIMENSIONS: INCHES) BLACK ZINC-NICKEL 1754445-3 ALUMINUM 1754445-2 NONE NICKEL ALUMINUM BRONZE OLIVE DRAB ZINC 1754445-1 ALUMINUM FINISH PART NUMBER HOUSING ALLOY DWN 25MAR2004

K.GLATFELTER
CHK 07MAY2004

D. WERTMAN
APVD | OMAY2004 NAME
D. WERTMAN THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME YI4.5M-2009 **STE** TE Connectivity TFOCA-II <sup>®</sup> IS A REGISTERED TRADEMARK OF CONNECTOR SHELL KIT, D-HOLE BLKHD LP TFOCA-II® REPL., PRO BEAM JR. FIBER SYSTEMS INTERNATIONAL CORP. PRODUCT SPEC APPLICATION SPEC SIZE | CAGE CODE | DRAWING NO WEIGHT  $\bigcirc 00779 \bigcirc -1754445$ AS LISTED AS LISTED SCALE 2 . | SHEET | OF 2 REV Customer Drawing 1471-9 (3/11)

